

Riverview Nursery Inventory	Common Name	Latin Name	Plant Information							Pollinator Connection													
			Sun			Soil Moisture				Height	Flower Color	Bloom Time	Hard to find	Ephemeral	Bee	Beetle	Butterfly/Moth	Fly	Hummingbird	Wasp	Special Notes	Pollinator Magnets	
			Full Sun	Part Shade	Shade	Wet	Wet Mesic	Mesic	Dry Mesic														Dry
	Short's Aster	<i>Aster shortii</i>							2'-3'	Purple	fall				•	•					Pearl Crescent host		
	Flat-Topped Aster	<i>Aster umbellatus</i>							3'-5'	White	fall				•	•					Pearl Crescent host		
x	Blue False Indigo	<i>Baptisia australis</i>							2'-4'	Blue	spring				•						Silver-Spotted Skipper host		
	White False Indigo	<i>Baptisia leucantha</i>							3'-4'	White	summer				•								
	Cream False Indigo	<i>Baptisia leucophaea</i>							1'	Cream	spring				•								
	Tickseed Sunflower	<i>Bidens aristosa</i>							1'-4'	Yellow	summer/fall	•			•	•	•	•	•	•	Dainty Sulphur host		
	False Aster	<i>Boltonia latisquama</i>							3'-6'	White	summer				•	•	•	•	•	•		*	
	Marsh Marigold	<i>Caltha palustris</i>							1'-2'	Yellow	spring				•			•					
	Spring Cress	<i>Cardamine bulbosa</i>							<1'	White	spring	•	•		•			•			Bee specialist	*	
	Cut-leaved Toothwort	<i>Cardamine concetenata</i>							<1'	Pink	spring	•	•		•			•			Bee specialist; West Virginia White host		
x	Wild Senna	<i>Cassia hebecarpa</i>							3'-5'	Yellow	summer				•	•					Cloudless Sulphur and Sleepy Orange host		
	Blue cohosh	<i>Caulophyllum thalictroides</i>							2'-4'	Green	spring	•			•	•		•					
x	White Turtlehead	<i>Chelone glabra</i>							2'-4'	White	summer				•			•			Baltimore Checkerspot host		
	Pink Turtlehead	<i>Chelone obliqua</i>							2'-4'	Pink	summer				•			•			Baltimore Checkerspot host		
	Spring Beauty	<i>Claytonia virginica</i>							<1'	Pink	spring	•	•		•			•			Bee specialist	*	
	Blue-eyed Mary	<i>Collinsia verna</i>							<1'	Blue	spring	•	•		•			•				*	
x	Lance-Leaf Coreopsis	<i>Coreopsis lanceolata</i>							1'-2'	Yellow	spring/summer				•			•	•				
	Plains Coreopsis	<i>Coreopsis palmata</i>							1'-2'	Yellow	summer				•	•	•	•	•	•			
	Tall Coreopsis	<i>Coreopsis tripteris</i>							6'-8'	Yellow	summer				•			•	•	•			
x	Purple Prairie Clover	<i>Dalea purpurea</i>							1'-2'	Purple	summer				•	•		•			Dogface Sulphur host		
	Dwarf Larkspur	<i>Delphinium tricorne</i>							<1'	Purple	spring	•	•		•			•	•				
x	Pale Purple Coneflower	<i>Echinacea pallida</i>							2'-4'	Lavendar	spring/summer				•			•					
x	Purple Coneflower	<i>Echinacea purpurea</i>							3'-4'	Purple	summer				•			•					
	Harbinger of Spring	<i>Erigenia bulbosa</i>							<1'	White	spring	•	•		•			•			Very early resource		
x	Rattlesnake Master	<i>Eryngium yuccifolium</i>							3'-4'	White	summer/fall				•	•	•	•	•	•	Black Swallowtail host	*	
	White Trout Lily	<i>Erythronium albidum</i>							<1'	White	spring	•			•			•					
	Yellow Trout Lily	<i>Erythronium americanum</i>							<1'	Yellow	spring	•			•			•					
	Tall Boneset	<i>Eupatorium altissima</i>							3'-4'	White	fall	•			•	•	•	•	•	•		*	
	Blue Mist Flower	<i>Eupatorium coelestinum</i>							1'-2'	Blue	fall				•	•	•	•	•				
	Hollow Joe-Pye Weed	<i>Eupatorium fistulosum</i>							4'-9'	Pink	fall				•	•							
x	Spotted Joe-Pye Weed	<i>Eupatorium maculatum</i>							4'-6'	Pink	fall				•			•	•				
x	Sweet Joe-Pye Weed	<i>Eupatorium purpureum</i>							4'-6'	Pink	summer				•	•	•	•	•				
	White Snakeroot	<i>Eupatorium rugosum</i>							2'-4'	White	fall	•			•	•				•			

Riverview Nursery Inventory	Common Name	Latin Name	Plant Information										Pollinator Connection									
			Sun			Soil Moisture				Height	Flower Color	Bloom Time	Hard to find	Ephemeral	Bee	Beetle	Butterfly/Moth	Fly	Hummingbird	Wasp	Special Notes	Pollinator Magnets
			Full Sun	Part Shade	Shade	Wet	Wet Mesic	Mesic	Dry Mesic													
	Late Boneset	<i>Eupatorium serotinum</i>									3'-6'	White	fall									*
X	Queen of the Prairie	<i>Filipendula rubra</i>									4'-7'	Pink	summer									
X	Bottle Gentian	<i>Gentiana andrewsii</i>									1'-2'	Blue	fall									
X	Wild Geranium	<i>Geranium maculatum</i>									1'	Lt. Purp.	spring									*
X	Autumn Sneezeweed	<i>Helenium autumnale</i>									3'-5'	Yellow	fall								Silvery Checkerspot host	
	Woodland Sunflower	<i>Helianthus divaricatus</i>									2'-6'	Yellow	summer								Painted Lady host	*
X	Downy Sunflower	<i>Helianthus mollis</i>									2'-4'	Yellow	summer								Painted Lady host	*
	Western Sunflower	<i>Helianthus occidentalis</i>									2'-3'	Yellow	summer								Painted Lady host	
	Showy Sunflower	<i>Helianthus rigidus</i>									3'-5'	Yellow	summer								Painted Lady host	
	False Sunflower	<i>Heliopsis helianthoides</i>									3'-5'	Yellow	summer									
	Hepatica	<i>Hepatica nobilis</i>									<1'	Purple	spring								Very early resource, pollen only	
	Alum root	<i>Heuchera americana</i>									1'-2'	Wht-Grn	summer									
X	Swamp Rose Mallow	<i>Hibiscus moscheutos</i>									3'-6'	Wht-Pink	summer								Bee specialist, Common Checkered-Skipper host	
	Great Waterleaf	<i>Hydrophyllum appendiculatum</i>									1'-2'	Lavender	spring									*
X	Blue Flag Iris	<i>Iris virginica shrevei</i>									2'-3'	Blue	spring/summer									
X	Rough Blazing Star	<i>Liatris aspera</i>									1'-3'	Purple	summer/fall									*
	Meadow Blazing Star	<i>Liatris ligulistylis</i>									1'-3'	Rose/Purple	summer									*
	Prairie Blazing Star	<i>Liatris pycnostachya</i>									3'-5'	Purple	summer									*
X	Savanna Blazing Star	<i>Liatris scariosa nieuwlandii</i>									2'-3'	Purple	summer									*
X	Dense Blazing Star	<i>Liatris spicata</i>									3'-5'	Purple	summer									*
X	Cardinal Flower	<i>Lobelia cardinalis</i>									1'-3'	Red	summer									
X	Great Blue Lobelia	<i>Lobelia siphilitica</i>									1'-3'	Blue	summer									
X	Lupine	<i>Lupinus perennis</i>									1'-2'	Blue	spring								Pollen only; Eastern Tailed-Blue and Frosted Elf in host	
	Fringed loosestrife	<i>Lysimachia ciliata</i>									1'-4'	Yellow	summer								Bee specialist	
	Prairie loosestrife	<i>Lysimachia quadriflora</i>									1'-3'	Yellow	summer								Bee specialist	
	Virginia Bluebells	<i>Mertensia virginica</i>									1'-2'	Blue	spring									
	Monkeyflower	<i>Mimulus ringens</i>									2'-4'	Lavender	summer								Common Buckeye host	
X	Bergamot	<i>Monarda fistulosa</i>									2'-4'	Lavender	summer									*
	Prairie Sundrops	<i>Oenothera pilosella</i>									1'	Yellow	summer									
X	Heart-leaved Golden Ragwort	<i>Packera aurea</i>									1'-2'	Yellow	spring									
X	Wild Quinine	<i>Parthenium integrifolium</i>									2'-3'	White	summer									
	Arrow Arum	<i>Peltandra virginica</i>									2'-3'	Green	summer								Fly specialist	
	Smooth Penstemon	<i>Penstemon calycosus</i>									2'-3'	Purple	spring/summer									

Riverview Nursery Inventory	Common Name	Latin Name	Plant Information										Pollinator Connection										
			Sun			Soil Moisture				Height	Flower Color	Bloom Time	Hard to find	Ephemeral	Bee	Beetle	Butterfly/Moth	Fly	Hummingbird	Wasp	Special Notes	Pollinator Magnets	
			Full Sun	Part Shade	Shade	Wet	Wet Mesic	Mesic	Dry Mesic														Dry
X	Foxglove Penstemon	<i>Penstemon digitalis</i>									2'-3'	White	summer										
X	Hairy Penstemon	<i>Penstemon hirsutus</i>									1'-2'	Purple	spring/summer										
	Fernleaf Phacelia	<i>Phacelia bipinnatifida</i>									1'-2'	Purple	spring	•	•	•		•					
	Obedient Plant	<i>Physostegia virginiana</i>									2'-4'	Pink	summer					•		•			
	Jacob's Ladder	<i>Polemonium reptans</i>									1'-3'	Purple	spring					•					
	Prairie Cinquefoil	<i>Potentilla arguta</i>									2'-3'	Sulfur	summer										
	Narrow Leaf Mountain Mint	<i>Pycnanthemum tenuifolium</i>									1'-2'	White	summer					•	•	•	•		
X	Common Mountain Mint	<i>Pycnanthemum virginianum</i>									1'-2'	White	summer					•	•	•	•		
X	Yellow Coneflower	<i>Ratibida pinnata</i>									3'-5'	Yellow	summer					•	•	•	•		
X	Orange Coneflower	<i>Rudbeckia fulgida speciosa</i>									2'-3'	Gold	summer/fall					•	•	•	•		
	Black-eyed Susan	<i>Rudbeckia hirta</i>									1'-3'	Yellow	summer					•	•	•	•		
	Sweet Black-eyed Susan	<i>Rudbeckia subtomentosa</i>									3'-5'	Yellow	summer/fall					•	•	•	•		
	Common Arrowhead	<i>Sagittaria latifolia</i>									1'-3'	White	summer	•				•					
	Lizard's Tail	<i>Saururus cernuus</i>									1'-2'	White	summer					•					
	Downy Skullcap	<i>Scutellaria incana</i>									2'-3'	Blue	summer					•					
X	Wild Stonecrop	<i>Sedum ternatum</i>									3"	White	spring					•					
X	Royal Catchfly	<i>Silene regia</i>									2'-4'	Red	summer					•		•			
	Rosinweed	<i>Silphium integrifolium</i>									3'-6'	Yellow	summer					•	•	•			
	Compass Plant	<i>Silphium laciniatum</i>									5'-8'	Yellow	summer					•	•	•			
X	Cup Plant	<i>Silphium perfoliatum</i>									5'-9'	Yellow	summer					•	•	•	•		
	Prairie Dock	<i>Silphium terebinthinaceum</i>									5'-10'	Yellow	summer					•		•			
X	Blue-stemmed Goldenrod	<i>Solidago caesia</i>									1'-3'	Yellow	fall					•	•	•			
	Zigzag Goldenrod	<i>Solidago flexicaulis</i>									1'-3'	Yellow	fall					•	•	•			
	Early Goldenrod	<i>Solidago juncea</i>									1'-2'	Yellow	summer					•	•	•	•		*
	Gray Goldenrod	<i>Solidago nemoralis</i>									1'-2'	Yellow	fall					•	•	•	•		*
	Ohio Goldenrod	<i>Solidago ohioensis</i>									2'-3'	Yellow	fall					•	•	•	•		
	Riddell's Goldenrod	<i>Solidago riddellii</i>									2'-4'	Yellow	fall					•	•	•	•		
X	Stiff Goldenrod	<i>Solidago rigida</i>									3'-5'	Yellow	fall					•	•	•	•		*
	Wrinkled Goldenrod	<i>Solidago rugosa</i>									2'-3'	Yellow	fall					•	•	•	•		*
X	Showy Goldenrod	<i>Solidago speciosa</i>									1'-3'	Yellow	fall					•	•	•	•		
	Celandine Poppy	<i>Stylophorum diphyllum</i>									1'-2'	Yellow	spring					•		•			
X	Spiderwort	<i>Tradescantia ohiensis</i>									2'-3'	Blue	spring/summer					•		•			*
	Large-flowered Trillium	<i>Trillium grandiflorum</i>									1'-2'	White	spring	•	•			•					

